


# SILK



	<i>Silk Braided</i>	<i>Silk Virgin</i>
<b>Type</b>	Braided multifilament	Twisted multifilament
<b>Composition</b>	Braided fibres from the cocoon of the silkworm	Twisted fibres from the cocoon of the silkworm
<b>Coating</b>	Waxes Silicone	None
<b>Colour</b>	Black	Blue
<b>Tissue reaction</b>	Moderate	
<b>Absorption</b>	Silk suture elicits an initial inflammatory reaction in tissues, which is followed by gradual encapsulation of the suture by fibrous connective tissues.	
<b>Presentation</b>	Box with 12 sutures	



*For quality  
&  
safety*



[www.sutures.be](http://www.sutures.be)

# SILK

## **CHARACTERISTICS**

- ☑ High tensile strength, non absorbable
- ☑ Braided or twisted structure
  
- ☑ Coated multifilament
  
- ☑ Hermetically sealed packing

## **BENEFITS**

- Good and extended tissue support for up to 3 month
  
- Excellent handling properties  
High flexibility  
High tensile strength  
Excellent knot security
  
- Soft passage through the tissues with minimal sawing, tissue drag and trauma  
Good knot tie down / adjustability  
Reduced capillary action
  
- Guaranteed seal and product sterility

**INDICATIONS** General soft tissue closing and/or ligation  
especially in General surgery  
Skin closure  
Ophthalmic surgery  
Oral surgery  
Gastrointestinal surgery  
Gynaecology  
Obstetrics

**CONTRAINDICATIONS** Urinary tract  
Biliary tract  
  
Known allergies or sensitivities to silk

Without needle



Metric USP Length Order number

2	3/0	150 cm	black	8200015
3	2/0	150 cm	black	8300015
3.5	0	150 cm	black	8350015
4	1	150 cm	black	8400015
5	2	150 cm	black	8500015
6	3&4	150 cm	black	8600015
8	6	150 cm	black	8800015
2	3/0	6 x 45 cm	black	8200044
3	2/0	6 x 45 cm	black	8300044
3.5	0	6 x 45 cm	black	8350044
4	1	6 x 45 cm	black	8400044
5	2	6 x 45 cm	black	8500044
1.5	4/0	17 x 45 cm	black	8150046
2	3/0	17 x 45 cm	black	8200046
3	2/0	17 x 45 cm	black	8300046
3.5	0	17 x 45 cm	black	8350046
4	1	17 x 45 cm	black	8400046
5	2	17 x 45 cm	black	8500046
1.5	4/0	13 x 60 cm	black	8150060
2	3/0	13 x 60 cm	black	8200060
3	2/0	13 x 60 cm	black	8300060
3.5	0	13 x 60 cm	black	8350060
4	1	13 x 60 cm	black	8400060
2	3/0	12 x 75 cm	black	8200075
3	2/0	12 x 75 cm	black	8300075
3.5	0	12 x 75 cm	black	8350075
4	1	12 x 75 cm	black	8400075
5	2	12 x 75 cm	black	8500075

Without needle



Metric USP Length Order number

2	3/0	250 cm	black	8200025
3	2/0	250 cm	black	8300025
3.5	0	250 cm	black	8350025
4	1	250 cm	black	8400025
5	2	250 cm	black	8500025
6	3&4	250 cm	black	8600025

Ligapack













Round bodied taper point







1/2 Circle



		Metric	USP	Length	Color	Order number
HR 12 mm		0.7	6/0	45 cm	black	8070112
		1	5/0	45 cm	black	8100112
		1.5	4/0	75 cm	black	8150112
HR 16 mm		0.7	6/0	45 cm	black	8070116
		1	5/0	75 cm	black	8100116
		1.5	4/0	75 cm	black	8150116
HR 20 mm		2	3/0	75 cm	black	8200116
		1	5/0	75 cm	black	8100120
		1.5	4/0	75 cm	black	8150120
HR 26 mm		2	3/0	75 cm	black	8200120
		3	2/0	75 cm	black	8300120
		3.5	0	75 cm	black	8350120
		1	5/0	75 cm	black	8100126
HR 30 mm		1.5	4/0	75 cm	black	8150126
		2	3/0	75 cm	black	8200126
		3	2/0	75 cm	black	8300126
		3.5	0	75 cm	black	8350126
		4	1	75 cm	black	8400126
HR 37 mm		2	3/0	75 cm	black	8200130
		3	2/0	75 cm	black	8300130
		3.5	0	75 cm	black	8350130
		4	1	75 cm	black	8400130
HR 40 mm		5	2	75 cm	black	8500130
		2	3/0	75 cm	black	8200137
		3	2/0	75 cm	black	8300137
HR 45 mm		3.5	0	75 cm	black	8350137
		4	1	75 cm	black	8400137
		5	2	75 cm	black	8500137
HR 50 mm		3.5	0	75 cm	black	8350140
		4	1	75 cm	black	8400140
		5	2	75 cm	black	8500140
HR 60 mm		3.5	0	75 cm	black	8350145
		4	1	75 cm	black	8400145
		5	2	75 cm	black	8500145



### Round bodied taper point

		Metric	USP	Length	Color	Order number
<b>3/8 Circle</b> 	DR 16 mm 	1.5	4/0	75 cm	black	8150216
		2	3/0	75 cm	black	8200216
	DR 25 mm 	2	3/0	75 cm	black	8200225
		3	2/0	75 cm	black	8300225
	DR 30 mm 	3	2/0	75 cm	black	8300230








### Round bodied taper point

		Metric	USP	Length	Color	Order number
<b>Straight</b>	GR 40 mm 	3	2/0	75 cm	black	8302040

### Reverse cutting double armed









		Metric	USP	Length	Color	Order number
<b>3/8 Circle</b> 	2 x DS 12 mm 	0.5	7/0	45 cm	black	8051512-2
		0.7	6/0	45 cm	black	8071512-2

### Reverse cutting

		Metric	USP	Length	Color	Order number
<b>3/8 Circle</b> 	DS 12 mm 	0.5	7/0	45 cm	black	8051512
		0.7	6/0	45 cm	black	8071512
		1	5/0	45 cm	black	8101512
		1.5	4/0	75 cm	black	8151512
		2	3/0	75 cm	black	8201512
	DS 12 mm Easy Pass 	0.7	6/0	50 cm	black	8071512P
	DS 14 mm 	0.7	6/0	45 cm	black	8071514
	DS 16 mm 	0.7	6/0	75 cm	black	8071516
		1	5/0	75 cm	black	8101516
		1.5	4/0	75 cm	black	8151516
		2	3/0	75 cm	black	8201516
		3	2/0	75 cm	black	8301516
	DS 16 mm Easy Pass 	1	5/0	50 cm	black	8101516P
		1.5	4/0	50 cm	black	8151516P
	DS 16 mm black 	1	5/0	75 cm	black	8101516VB
		1.5	4/0	75 cm	black	8151516VB

Reverse cutting



		Metric	USP	Length	Order number
DS 19 mm		0.7	6/0	75 cm	<i>black</i> 8071519
		1	5/0	75 cm	<i>black</i> 8101519
		1.5	4/0	75 cm	<i>black</i> 8151519
		2	3/0	45 cm	<i>black</i> 8201519-45
		2	3/0	75 cm	<i>black</i> 8201519
		3	2/0	75 cm	<i>black</i> 8301519
		3.5	0	75 cm	<i>black</i> 8351519
		4	1	75 cm	<i>black</i> 8401519
DS 19 mm Easy Pass		1.5	4/0	50 cm	<i>black</i> 8151519P
		2	3/0	50 cm	<i>black</i> 8201519P
DS 19 mm black		1	5/0	75 cm	<i>black</i> 8101519VB
		1.5	4/0	75 cm	<i>black</i> 8151519VB
		2	3/0	75 cm	<i>black</i> 8201519VB
DS 24 mm		1	5/0	75 cm	<i>black</i> 8101524
		1.5	4/0	75 cm	<i>black</i> 8151524
		2	3/0	75 cm	<i>black</i> 8201524
		3	2/0	75 cm	<i>black</i> 8301524
		3.5	0	75 cm	<i>black</i> 8351524
DS 26 mm		4	1	75 cm	<i>black</i> 8401524
		2	3/0	75 cm	<i>black</i> 8201526
DS 30 mm		3	2/0	75 cm	<i>black</i> 8301526
		1.5	4/0	75 cm	<i>black</i> 8151530
		2	3/0	75 cm	<i>black</i> 8201530
		3	2/0	75 cm	<i>black</i> 8301530
		3.5	0	75 cm	<i>black</i> 8351530
		4	1	75 cm	<i>black</i> 8401530
		5	2	75 cm	<i>black</i> 8501530
DS 37 mm		2	3/0	75 cm	<i>black</i> 8201537
		3	2/0	75 cm	<i>black</i> 8301537
		3.5	0	75 cm	<i>black</i> 8351537
		4	1	75 cm	<i>black</i> 8401537
		5	2	75 cm	<i>black</i> 8501537
DS 45 mm		6	3&4	75 cm	<i>black</i> 8601537
		3	2/0	75 cm	<i>black</i> 8301545
		3.5	0	75 cm	<i>black</i> 8351545
		4	1	75 cm	<i>black</i> 8401545
		5	2	75 cm	<i>black</i> 8501545

3/8 circle



## Reverse cutting




Metric

USP

Length

Order number

### 3/8 Circle



DS 60 mm



4

1

75 cm

*black*

8401560

DS 90 mm



3.5

0

100 cm

*black*

8351590

## Reverse cutting



Metric

USP

Length

Order number

### 1/2 Circle



HS 12 mm



0.7

6/0

75 cm

*black*

8071412

HS 17 mm



1

5/0

75 cm

*black*

8101417

1.5

4/0

75 cm

*black*

8151417

2

3/0

75 cm

*black*

8201417

HS 20 mm



1.5

4/0

75 cm

*black*

8151420

2

3/0

75 cm

*black*

8201420

HS 22 mm



1

5/0

75 cm

*black*

8101422

1.5

4/0

75 cm

*black*

8151422

2

3/0

75 cm

*black*

8201422

3

2/0

75 cm

*black*

8301422

HS 26 mm



1

5/0

75 cm

*black*

8101426

1.5

4/0

75 cm

*black*

8151426

2

3/0

75 cm

*black*

8201426

3

2/0

75 cm

*black*

8301426

3.5

0

75 cm

*black*

8351426

HS 36 mm



3.5

0

75 cm

*black*

8351436

4

1

75 cm

*black*

8401436

## Cutting



Metric

USP

Length

Order number

### Straight

GS 40 mm



3

2/0

75 cm

*black*

8302140

GS 60 mm



2

3/0

75 cm

*black*

8202160

3

2/0

75 cm

*black*

8302160

3.5

0

75 cm

*black*

8352160

4




1

75 cm



*black*

8402160




**Round bodied taper cutting point**  **Metric** **USP** **Length** **Order number**

			Metric	USP	Length	Order number
<b>1/2 Circle</b> 	HRT 18 mm		1	5/0	75 cm	<i>black</i> 8100518
			1.5	4/0	75 cm	<i>black</i> 8150518
			2	3/0	75 cm	<i>black</i> 8200518
	HRT 27 mm		3	2/0	75 cm	<i>black</i> 8300518
			2	3/0	75 cm	<i>black</i> 8200527
			3	2/0	75 cm	<i>black</i> 8300527



**Round bodied taper cutting point**  **Metric** **USP** **Length** **Order number**

			Metric	USP	Length	Order number
<b>3/8 Circle</b> 	DRT 18 mm		1.5	4/0	75 cm	<i>black</i> 8150418
			2	3/0	75 cm	<i>black</i> 8200418

**Side cutting spatula double armed**  **Metric** **USP** **Length** **Order number**

			Metric	USP	Length	Order number
<b>3/8 Circle</b> 	2 x DSP 6,5 mm 200 µm		0.4	8/0	45 cm	<i>black</i> OS81B
			0.5	7/0	45 cm	<i>black</i> OS71
	2 x DSP 6,5 mm 240 µm		0.7	6/0	45 cm	<i>black</i> OS61
			1	5/0	30 cm	<i>black</i> OS52

**Side cutting spatula double armed**  **Metric** **USP** **Length** **Order number**

			Metric	USP	Length	Order number
<b>1/4 Circle</b> 	2 x VSP 8 mm 250 µm		0.7	6/0	45 cm	<i>black</i> OS62
			1	5/0	45 cm	<i>black</i> OS51



**IN CASSETTES**

Metric	USP	Length	Order number
1.5	4/0	100 m	8015
2	3/0	100 m	8020
3	2/0	100 m	8030
3.5	0	100 m	8035
4	1	100 m	8040
5	2	100 m	8050
6	3&4	80 m	8060
7	5	60 m	8070
8	6	50 m	8080
9	7	40 m	8090
10	8	30 m	8100



Side cutting spatula  
double armed



Metric

USP

Length

Order number

3/8 Circle



2 x DSP 6,5 mm  
200 µm



0.4

8/0

45 cm

*blue*

OS81